

# INDEX MAPS.

## T. 23N, R. 8E 2<sup>nd</sup> Mer.

Meanders 73

	52		51		51		51		50		50	
53	6	72	5	68	4	65	3	61	2	57	1	50
	72		72		68		64		61		57	
53	7	72	8	68	9	64	10	60	11	56	12	49
	72		72		67		64		60		56	
53	18	71	17	67	16	63	15	60	14	56	13	49
	71		71		67		63		59		55	
52	19	70	20	66	21	63	22	59	23	55	24	49
	70		70		66		62		58		55	
52	30	70	29	66	28	62	27	58	26	54	25	49
	69		69		66		62		58		54	
52	31	69	32	65	33	61	34	57	35	54	36	48
	48		48		47		47		47		47	

## T. 24N, R. 8E. 2<sup>nd</sup> Mer.

Meanders 70

	85	85	85	85	84	84						
87	6	109	5	103	4	99	3	95	2	91	1	84
	108	109		103		98		95		91		
87	7	108	8	102	9	98	10	94	11	91	12	84
	107	107		102		98		94		90		
87	18	107	17	102	16	97	15	94	14	90	13	83
	106	106		101		97		93		89		
86	19	106	20	101	21	97	22	93	23	89	24	83
	105	105		100		96		93		89		
86	30	105	29	100	28	96	27	92	26	89	25	83
	104	104		99		96		92		88		
86	31	104	32	99	33	95	34	92	35	88	36	82
	82	82		81		81		81		81		

The figures on the lines refer to the page.

47

Township 23 North, Range 8 East. 3<sup>rd</sup> Ma Ind.

South Boundary -

West on E. Side of Sec. 36.

40.00 Set q. Sec. post from which  
an ash 7 in. diam. bears N 64 E 8 W. dist. 9  
a Maple 8 " " " N 36 W 17 " "  
80.00 Set post cu. to Secs. 35 & 36 from which  
an ash 10 in. diam. bears S 78 W 17 W. dist. 9  
a Do 18 " " " S 55 E 13 " "  
One good farming land. Buck. ash. Oak &c

---

West on E. Side of Sec. 35

40.00 Set q. Sec. post from which  
an ash 8 in. diam. bears N 85 E 35 W. dist. 9  
a Buck 14 " " " S 79 W 36 " "  
46.35 " Do 12 " "  
80.00 Set post cu. to Secs. 34 & 35 from which  
an ash 12 in. diam. bears N 72 W 6 W. dist. 8  
a Hickory 8 " " " S 64 W 26 " "  
Sand & Timber same as on the last line.

---

West on E. Side of Sec. 34 -

40.00 Set q. Sec. post from which  
a Hornbeam 6 in. diam. bears N 3 E 3 W. dist. 9  
a Hickory 14 " " " N 83 W 36 " "  
80.00 Set post cu. to Secs. 33 & 34 from which  
a Buck 13 in. diam. bears N 72 E 18 W. dist. 9  
a Do 14 " " " S 56 W 36 " "  
Sand & Timber same as on the last line

---

West on E. Side of Sec. 33

40.00 Set q. Sec. post from which  
an Elm 8 in. diam. bears N 67 W 24 W. dist. 9  
a Do 12 " " " S 32 E 16 " "  
80.00 Set post cu. to Secs. 32 & 33 from which  
an Elm 20 in. diam. bears S 65 W 9 W. dist. 8  
an ash 10 " " " S 85 W 29 " "

Sec 33 N. - W. 8 E. 9<sup>th</sup> Mer. Indiana.

Land & Timber Same as on the last line -

West on E. Side of Sec. 32

40.00 Set q. Sec. post from which

a Beech 14 in. diam. bears S 85 E 12 W. dir. 9

a Do 15 " " " N 83 W 39 " "

59.30 an Oak 24 " "

80.00 Set post cor. to Secs. 31 & 32 from which

a Hickory 8 in. diam. bears S 82 E 19 W. dir. 9

a W. Oak 8 " " " N 59 W 5 " "

Land & Timber Same as on the last line.

West on E. Side of Sec. 31

40.00 Set q. Sec. post from which

a Walnut 12 in. diam. bears N 68 E 21 W. dir. 9

a Beech 14 " " " S 68 W 39 " "

75.11 Intersect Range line 285 W. S. of temp. post -  
when set post cor. to Townships 22 & 23 North.  
Ranges 7 & 8 East, from which

an Ash 10 in. diam. bears S 44 E 13 W. dir. 9

a Do 13 " " " S 89 W 23 " "

Land & Timber Same as on the last line -

East Boundary -

Var. 5° 57' E.

North on E. Side of Sec. 36 -

32.23 an Oak 24 in. diam.

40.00 Set q. Sec. post from which

an Elm 8 in. diam. bears S 44 E 23 W. dir. 9

an Ash 6 " " " N 21 W 33 " "

50.65 a Hickory 18 " "

80.00 Set post cor. to Secs. 25 & 36 from which

a Hickory 20 in. diam. bears S 44 E 20 W. dir. 9

an Oak 15 " " " N 34 W 31 " "

On good farming land. Timber Beech,  
Sugar. Ash. Oak &c -

49

W 23 N. - W. & E. 2<sup>nd</sup> Mer. Indiana.

North on E. Side of Sec. 25-

16.60 a Buck 10 in. diam.

40.00 Set g. Sec. post from which

a Buck 12 in. diam. bears S 63 E 12 W. dist. 9

a No 13 " " " " N 60 W 39 " "

45.05 a W. Oak 12 " "

80.00 Set Post con. to Sect. 24 & 25 from which

a Buck 12 in. diam. bears S 13 W 24 W. dist. 9

a No 10 " " " " N 4 E 42 " "

Land & Timber Same as on the last line -

North on E. Side of Sec. 24

18.40 a Buck 16 in. diam.

40.00 Set g. Sec. post from which

a Buck 18 in. diam. bears S 33 W 24 W. dist. 9

an ash 24 " " " " N 29 E 15 " "

77.00 a Brook 40 Ws. wide Corn E

80.00 Set Post con. to Sect. 13 & 24 from which

an Elm 20 in. diam. bears S 2 E 11 W. dist. 9

Hickory 8 " " " " N 8 E 15 " "

Description of Land & Timber omitted

North on E. Side of Sec. 13-

23.95 an Oak 20 in. diam.

40.00 Set g. Sec. post from which

an Elm 12 in. diam. bears S 84 E 11 W. dist. 9

an Oak 18 " " " " N 44 W 44 " "

58.00 a Hickory 20 " "

80.00 Set Post con. to Sect. 12 & 13 from which

a Hickory 12 in. diam. bears S 31 E 98 W. dist. 9

a Locust 12 " " " " N 57 W 42 " "

On Oak & Hickory land, Thin Soil -

North on E. Side of Sec. 12-

28.66 Interior Ridge & Set Post from which

an ash 12 in. diam. bears S 25 E 11 W. dist. 9



*W. 23 N. - R. 8 E. T<sup>2</sup> Sec. Indiana.*

- a Spruce 12 in. diam. bears N 35 W 18 W. dist.  
 32.70 on Pine set post from which  
 an Elm 14 in. diam. bears S 28 E 3 W. dist. X  
 a Hickory 8 " " " N 75 W 14 " "  
 40.00 Set gr. Sec. post from which  
 a Buck 8 in. diam. bears S 3 E 36 W. dist. 9  
 a Do 10 " " " North 43 " "  
 80.00 Set post con. to Sec. 1412 from which  
 a Buck 12 in. diam. bears S 3 W 45 W. dist. X  
 a Hickory 10 " " " N 5 E 30 " "  
 On good farming land. Oak. Buck. Sugar &c

*North on E. Side of Sec. 1*

- 26.40 a Sugar 14 in. diam.  
 40.00 Set gr. Sec. post from which  
 an Ash 18 in. diam. bears S 1 E 33 W. dist. X  
 a Hornbeam 8 " " " N 33 W 27 " "  
 80.00 Set temp. Township Corner post -  
 Land & Line same as on the last line -  
 January 2<sup>nd</sup> 1820 -

*North Boundary.*

*Var. 5° 15' E.*

*West on E. Side of Sec. 36 T. 24 N. - R. 8 E*

- 40.00 Set gr. Sec. post from which  
 a W. Oak 6 in. diam. bears S 4 E 5 W. dist. X  
 an Elm 24 " " " N 54 E 17 " "  
 80.00 Set post con. to Sec. 35 & 36 from which  
 a Buck 14 in. diam. bears N 48 W 6 W. dist. 9  
 a Do 9 " " " S 8 E 23 " "  
 Soil rich land. Buck. Sugar. Oak. Ash &c

*West on E. Side of Sec. 35 T. 24 N. - R. 8 E*

- 40.00 Set gr. Sec. post from which  
 an Ironwood 6 in. diam. bears N 80 E 21 W. dist.  
 a Sugar 24 " " " N 58 W 30 " "

51

T. 23 N. - R. 8 E. 2<sup>nd</sup> Mer. Ind.

80.00 Set post en. to Secs. 34 & 35 from which  
 a Beech 24 in. diam. bears N 61 E 13 W. dist. 8  
 a Do 12 " " " N 85 W 27 " "  
 Sand & Timber Same as on the last line -

West on E. Side of Sec. 34 T. 24 N. - R. 8 E -

40.00 Set q. Sec. post from which  
 a Sugar 15 in. diam. bears N 54 W 20 W. dist. 8  
 a Do 24 " " " N 17 E 38 " "

80.00 Set Post en. to Secs. 33 & 34 from which  
 a Beech 12 in. diam. bears N 42 W 33 W. dist.  
 a Do 12 " " " N 7 E 32 " "  
 Sand & Timber Same as on the last line -

West on E. Side of Sec. 33 T. 24 N. - R. 8 E -

36.50 Enter E. Bank of Mississinewa River  
 & set Post from which  
 a Beech 24 in. diam. bears N 7 E 24 W. dist. 8  
 a Do 24 " " " N 55 E 34 " "

44.50 on River & set post on W. bank from which  
 a Sugar 9 in. diam. bears N 4 E 20 W. dist. 8  
 an Elm 12 " " " N 8 E 30 " "

80.00 Set Post en. to Secs. 32 & 33 from which  
 a Beech 12 in. diam. bears N 57 E 10 W. dist. 8  
 a Poplar 12 " " " N 57 W 37 " "  
 Sand & Timber Same as on the last line.

West on E. Side of Sec. 33 T. 24 N. - R. 8 E -

40.00 Set q. Sec. post from which  
 a Beech 12 in. diam. bears N 60 W 16 W. dist. 8  
 a Do 14 " " " N 86 E 8 " "

80.00 Set Post en. to Secs. 31 & 32 from which  
 a Beech 18 in. diam. bears N 14 W 5 W. dist. 8  
 a Do 9 " " " N 57 W 17 " "  
 Sand & Timber Same as on the last line.

T. 23 N. - R. 8 E. 9<sup>th</sup> Mo. Indiana.

West on E. Side of Sec. 31 T. 24 N. - R. 8 E.  
 44.00 Set gr. Sec. post from which  
     a Buck 8 in. diam. bears S 27 W 25 W. dist. 8  
     a W. Oak 24 " " " N 35 W 25 " "  
 81.00 Entered Range line & set post cor. to Towns  
     23 & 24 North, Range 7 & 8 East, from which  
     an Ash 10 in. diam. bears S 78 W 11 W. dist. 8  
     a W. Oak 48 " " " S 62 E 17 " "  
 Land & Timber same as on the last line -

West Boundary -

Var. 6010' E.  
 North on E. Side of Sec. 36 T. 23 N. - R. 7 E.  
 18.17 an Ash 15 in. diam.  
 40.00 Set gr. Sec. post from which  
     an Ash 8 in. diam. bears S 17 E 23 W. dist. 8  
     a No 18 " " " N 35 W 41 " "  
 61.89 a Cottonwood 18 in. diam.  
 80.00 Set post corner to Secs. 25 & 36 from which  
     an Oak 36 in. diam. bears S 58 W 9 W. dist. 8  
     an Ironwood 8 " " " N 53 W 15 " "  
 On good farming land, Timber Beech,  
 ash, Oak & red gum etc. & Spruce

North on E. Side of Sec. 35 T. 23 N. - R. 7 E.  
 30.15 a W. Oak 30 in. diam.  
 40.00 Set gr. Sec. post from which  
     an Ironwood 7 in. diam. bears S 41 E 8 W. dist. 8  
     a Beech 10 " " " N 87 W 5 " "  
 58.32 a Poplar 12 " "  
 80.00 Set Post cor. to Secs. 24 & 25 from which  
     a Spruce 13 in. diam. bears S 34 W 20 W. dist. 8  
     an Ash 10 " " " N 34 E 14 " "  
 Land & Timber same as on the last line

North on E. Side of Sec. 24 T. 23 N. - R. 7 E.

53

T. 23 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana.

29.85 a Hickory 13 in. diam.  
 40.00 Set g. Sec. post from which  
     a Beech 8 in. diam. bears S 25 W 30 W. dist. 8  
     an Oak 30 " " " S 37 E 26 " "  
 72.58 a Beech 12 " "  
 80.00 Set post on to Sec. 13 & 24 from which  
     a Sugar 18 in. diam. bears S 38 W 4 W. dist. 8  
     a Beech 8 " " " N 30 E 9 " "  
 Sand & Limbs Same as on last line

---

North on E. Side of Sec. 13 T. 23 N. - R. 8 E.  
 19.22 an Oak 16 in. diam. bears  
 40.00 Set g. Sec. post from which  
     a Beech 8 in. diam. bears S 20 E 33 W. dist. 8  
     a Do 6 " " " N 57 W 12 " "  
 67.10 an ash 10 " "  
 80.00 Set post on to Sec. 12 & 13 from which  
     an ash 24 in. diam. bears S 46 E 9 W. dist. 8  
     an Oak 12 " " " S 57 W 8 " "  
 Sand & Limbs Same as on the last line -

Not

---

North on E. Side of Sec. 12 T. 23 N. - R. 7 E.  
 27.13 a Beech 12 in. diam.  
 40.00 Set g. Sec. post from which  
     a Beech 12 in. diam. bears S 15 E 17 W. dist. 8  
     a Do 12 " " " N 5 E 45 " "  
 59.76 a Do 12 " "  
 80.00 Set post on to Sec. 14 & 12 from which  
     a Beech 8 in. diam. bears N 83 E 11 W. dist. 8  
     a Hickory 20 " " " S 58 W 32 " "  
 Sand & Limbs Same as on the last line

---

North on E. Side of Sec. 1 T. 23 N. - R. 7 E.  
 25.05 a W. Oak 24 in. diam.  
 40.00 Set g. Sec. post from which  
     an Oak 36 in. diam. bears S 24 W 6 W. dist. 8



W 23 N. - W. 8 E. 2<sup>nd</sup> Mer. Indiana

a Buck 10 in. diam. bears N 12 W 25 W dist.  
46.55 on Oak 14 " "

80.00 Set temp. Township Corn Post -

Van at Line Same as on the last line -

January 4<sup>th</sup>, 1820 Surveyed by  
John & James H. M<sup>rs</sup> Donald D. S.

### Subdivision

V.

North Return Sect 35 & 36

16.00 a Hickory 18 in. diam.

26.21 a Buck 16 " "

40.00 Set q. Sec. post from which

a Buck 20 in. diam. bears S 11 W 37 W dist. 8

an Elm 5 " " " N 42 E 44 " "

53.42 a Buck 18 " "

80.00 Set post on to Sect 26 26.35 & 36 from which

a S. Ash 5 in. diam. bears N 82 E 10 W dist. 9

a Do 5 " " " North 16 " "

Land cont<sup>d</sup> 2<sup>nd</sup> rate, Timber Buck, ash & c  
ang<sup>d</sup> P. Ash, Ironwood & Spruce.

East m<sup>rs</sup> Random Return Sect. 25 & 36 -

40.00 Set temp q. Sec. post -

79.14 Set m<sup>rs</sup> E Bound. line of 2<sup>nd</sup> W. N. of post

West corner of Return Sect. 25 & 36 -

39.57 Set q. Sec. post at an angle dist from which

a S. Ash 6 in. diam. bears S 85 E 34 W dist. 8

an Elm 12 " " " N 60 W 10 " "

79.14 To Sec. Corner

North Return Sect. 25 & 36 -

18.42 a Lycamore 24 in. diam.

40.00 Set q. Sec. post from which

a Buck 14 in. diam. bears S 49 E 18 W dist. 8

W D 3 N. - R. & E. 3<sup>rd</sup>. Mer. Indiana. 55

at Beech 12 in. diam. bears N 60 W 19 W. dist.  
 80.00 Let Post en. to Sect. 23, 24, 25 & 26 from which  
 at B. Ash 20 in. diam. bears South 7 W. dist. 4  
 at B. Oak 10 " " " N 37 W 28 " "

---

East on Random between Sect. 24 & 25 -  
 40.00 Let temp. gr. Sec. post -  
 79.35 Intersect E. Bound. line 300 W. N. of Post.

---

West Corner between Sect. 24 & 25  
 39.17 $\frac{1}{2}$  Let gr. Sec. post at average dist. from which  
 at Beech 12 in. diam. bears N 74 E 30 W. dist. 4  
 at Do 14 " " " N 60 W 20 " "  
 79.35 To Sec. Corner.

---

North Return Sect. 23 & 24  
 15.65 at B. Oak 30 in. diam.  
 40.00 Let gr. Sec. post from which  
 at W. Ash 24 in. diam. bears S 23 E 29 W. dist. 4  
 at B. Ash 7 " " " N 6 E 34 " "  
 47.50 Enter a Prairie  
 59.00 Leave the Do  
 72.75 at W. Oak 15 in. diam.  
 77.00 Enter a Swamp  
 80.00 Let Post en. to Sect. 13, 14, 23 & 24. No bearing  
 this. Raise a mound - The prairie is  
 wet and swampy

---

East on Random between Sect. 13 & 24 -  
 13.00 Leave the Swamp.  
 40.00 Let temp. gr. Sec. post -  
 61.00 Enter a prairie  
 80.12 Intersect E. Bound. line 200 W. N. of post -

---

West Corner between Sect. 13 & 24 -  
 40.06 Let gr. Sec. post at average dist. from which

# W 93 N. W. 8 E. 2<sup>nd</sup> Mer. Indiana

a Honeylocust 24 in. diam. bears S 81 E 17 W. dist. 8  
 a W. Oak 3 " " " S 56 W 28 " "  
 80.12 To Sec. Corner November 25<sup>th</sup> 1892

## North Return Secs. 13 & 14

6.57 a Stream 13 W. wide Corner N. E.  
 14.50 Leave the Prairie  
 37.40 a Hickory 24 in. diam.  
 40.00 Set q. Sec. post from which  
 a Buck 20 in. diam. bears S 3 E 75 W. dist. 8  
 a Do 21 " " " S 84 E 14 " "  
 57.44 a W. Oak 20 " "  
 62.85 a Buck 18 " "  
 80.00 Set post cor. to Secs. 11, 12, 13 & 14 from which  
 a W. Oak 10 in. diam. bears S 42 E 8 W. dist. 8  
 a Do 16 " " " N 50 W 39 " "

## East on Random between Secs. 12 & 13 -

40.00 Set temp. q. Sec. Post -  
 47.80 a Stream 12 W. wide Corner N -  
 81.52 Intersect E. Bound. line 450 W. N. of post.

## West Corner between Secs. 12 & 13 -

40.76 Set q. Sec. post at angle dist. from which  
 an Ironwood 5 in. diam. bears N 60 E 37 W. dist. 8  
 a Hickory 16 " " " S 30 W 7 " "  
 81.52 To Sec. corner.

## North Return Secs. 11 & 12

15.75 To Mississinewa River 232 W. wide Course  
 S. W. and set post from which  
 a Buckeye 8 in. diam. bears S 44 E 43 W. dist. 8  
 a Hickory 20 " " " S 44 E 31 " "  
 Over River & set post from which  
 a W. Oak 16 in. diam. bears S 77 W 36 W. dist. 8  
 a Do 8 " " " N 68 E 20 " "

57

M. 23 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana.

27.50 at B. Ash 33 in. diam.  
 40.00 Set gp. Sec. post from which  
     a Beech 18 in. diam. bears S 52 W 18 W. dist. 9  
     a Do 16 " " " N 35 E 20 " "  
 62.34 a Do 20 " "  
 77.09 an Elm 5 " "  
 80.00 Set post ca. to Sect. 1, 2, 11 & 12 from which  
     a B. Ash 20 in. diam. bears S 45 E 21 W. dist. 8  
     an Elm 38 " " " N 57 E 8 " "

East on Random between Sect. 1 & 12

40.00 Set temp. gp. Sec. post.  
 81.60 Intersect E. Bound. line 5.50 N. of post

West corner between Sect. 1 & 12 -

40.80 Set gp. Sec. post at average dist. from which  
     a Red Oak 16 in. diam. bears S 75 E 18 W. dist. 8  
     a Hickory 17 " " " N 84 W 34 " "  
 81.60 To Sec. Corner.

North Return Sect. 1 & 2 -

18.02 an Elm 20 in. diam.  
 31.85 a Beech 28 " "  
 40.00 Set gp. Sec. post from which  
     a Beech 18 in. diam. bears S 5 W 19 W. dist. 8  
     a B. Ash 36 " " " N 5 E 12 " "  
 59.35 an Ironwood 6 " "  
 70.53 Intersect N. Bound. line 335 W. W. of Post -  
     when set post ca. to Sect. 1 & 2 from which  
     a B. Ash 5 in. diam. bears S 17 W 22 W. dist. 8  
     an Elm 18 " " " N 15 E 32 " "

North Return Sect. 34 & 35

37.40 a W. Oak 23 in. diam.  
 40.00 Set gp. Sec. post from which  
     a Oak 16 in. diam. bears S 39 E 14 W. dist. 8



# Inf 23 N. - R. & E. 2<sup>nd</sup> Mer. Indiana

a Buckeye 8 in. diam. bears N 74 W 29 W. dir.  
 47.42 a W. Oak 36 " "  
 62.44 a Hickory 22 " "  
 80.00 Let Post Car to Sect. 26, 27, 34 & 35 from which  
 a B. Ash 5 in. diam. bears S 47 W 31 W. dir. S  
 a W. Oak 6 " " " N 52 E 37 " "  
 Stand lent 2<sup>nd</sup> rate. Limbo Buck. Hickory,  
 Oak & Ash - undergrowth Ironwood & Dogwood -  
 November 26<sup>th</sup> 1882 -

---

East on Random between Sect. 26 & 35 -  
 40.00 Let temp. g. Sec. post -  
 79.76 Entered N. line at W. S. of Post -

---

West Corner between Sect. 26 & 35 -  
 39.88 Let g. Sec. post at same dir. from which  
 a B. Ash 5 in. diam. bears S 8 E 8 W. dir. S  
 an Elm 13 " " " N 33 W 19 " "  
 79.76 To Sec. Corner -

---

North between Sect. 26 & 27 -  
 16.10 a Maple 8 in. diam.  
 18.50 Enter a Swampy prairie  
 35.00 Leave Do  
 40.00 Let g. Sec. post from which  
 an Elm 8 in. diam. bears N 15 W 56 W. dir. S  
 a Maple 16 " " " N 65 E 11 " "  
 43.50 Enter a Prairie  
 62.00 Leave the Do  
 77.15 a W. Oak 5 in. diam.  
 80.00 Let Post Car to Sect. 22, 23, 26 & 27 from which  
 a W. Oak 13 in. diam. bears S 33 W 60 W. dir. S  
 a B. Ash 5 " " " N 39 E 19 " "

---

East on Random between Sect. 23 & 26 -  
 11.00 Enter a Prairie -

59

W 23 N. - W. 8 E. 2<sup>nd</sup> Mu. Indians

27.50 a Stream 18 W. side corner N.E.  
 36.00 Leave the Prairie  
 40.00 Set gr. Sec. post (temp.)  
 43.20 a Stream 14 W. side corner N.W.  
 79.50 Intersect N.E. Line 38 W. N. of Post -

West Corner Section Secs. 23 & 26 -  
 39.75 Set gr. Sec. post at approx. dist. from which  
 a Poplar 8 in. diam. near S 12 E 9 W. dist. of  
 a Do 7 " " " N 4 E 3 " "  
 79.50 To Sec. Corner.

North Section Secs. 22 & 23 -  
 18.50 a B. Oak 23 in. diam.  
 22.50 Enter a Prairie  
 38.00 Leave the Do  
 40.00 Set gr. Sec. Post from which  
 a W. Oak 7 in. diam. near N 67 E 10 W. dist. of  
 a B. Oak 27 " " " West 1 " "  
 55.40 a Maple 18 " "  
 80.00 Set post onto Secs. 14, 15, 20 & 23 from which  
 a Birch 16 in. diam. near South 1 W. dist. of  
 a Ash 8 " " " N 34 E 42 " "

East on Random Section Secs. 14 & 23 -  
 40.00 Set temp. gr. Sec. Post  
 68.50 a Pond  
 79.00 over Do  
 80.00 Intersect N.E. Line 30 W. N. of Post -

West Corner Section Secs. 14 & 23 -  
 40.00 Set gr. Sec. Post at approx. dist. from which  
 a W. Oak 26 in. diam. near S 75 E 19 W. dist. of  
 a Ash 36 " " " S 87 W 22 " "  
 80.00 To Sec. Corner.

# W. D. N. W. & E. J. W. Mor. Indiana.

North Return Sec. 14 & 15

17.56 a B. Ash 20 in. diam.

30.58 a W. Oak 22 " "

40.00 Set q. Sec. Post from which

a Buck 14 in. diam. bears S 58 E 28 W. dir. &

a W. Oak 28 " " " N 60 W 21 " "

65.55 a Buck 19 " "

80.00 Set Post Canto Sec. 10, 11, 14 & 15 from which

a Buck 16 in. diam. bears S 44 E 11 W. dir. &

a B. Ash 24 " " " N 9 W 45 " "

East w. Randau Return Sec. 11 & 14 -

40.00 Set temp. q. Sec. Post -

76.75 a Stream 15 W. wide Corner N. E.

80.07 Intenueb. M. line 90 W. N. of Post -

West Corner Return Sec. 11 & 14 -

40.03 1/2 Set q. Sec. Post at a mag. dir. from which

a Buck 18 in. diam. bears N 60 E 26 W. dir. &

a Do 16 " " " N 62 W 49 " "

80.07 To Sec. Corner.

North Return Sec. 10 & 11 -

32.50 a Stream 16 W. wide Corner E -

33.25 Do 19 " " " N. W.

37.18 a W. Oak 36 in. diam.

40.00 Set q. Sec. post from which

a Ironwood 6 in. diam. bears S 32 W 27 W. dir. &

a Buckeye 14 " " " N 33 E 15 " "

50.33 To Mississinewa River 150 W. wide Corner N. W.

Set post from which

a Elm 12 in. diam. bears N 67 W 118 W. dir. &

a Buckeye 9 " " " S 32 W 125 " "

— On River & set Post from which

a Buck 13 in. diam. bears S 56 E 17 W. dir. &

a R. Oak 16 " " " N 43 W 3 " "

61

*Q3 N. W. & E. D<sup>2</sup> Mer. Indiana.*

69.22 a Buch 20 in. diam.  
 80.00 Set post ca. to Sec. 2, 3, 10 & 11 from which  
 a Buch 18 in. diam. has S 51 W 52 W. dist. 9  
 a No 16 " " " N 42 E 29 " "

East on Random between Sec. 2 & 11 -

40.00 Set temp. g. Sec. post  
 80.40 Intersect M. line 74 W. N. of post -

West corner between Sec. 2 & 11 -

40.20 Set g. Sec. post at amag. dir. from which  
 an Ironwood 4 in. diam. has S 30 E 8 W. dist. 8  
 a Hickory " " " N 38 W 19 " "  
 80.40 To Sec. Corner.

North Return Sec. 2 & 3 -

16.00 a W. Oak 20 in. diam.  
 39.53 a Poplar 50 " "  
 40.00 Set g. Sec. post from which  
 a Poplar 38 in. diam. has S 20 W 11 W. dist. 8  
 a Buch 12 " " " N 70 E 3 " "  
 61.80 a B. Ash 24 " "  
 69.08 Intersect N. Round. line 470 W. N. of post  
 when set post ca. to Sec. 2 & 3 from which  
 a B. Ash 24 in. diam. has S 44 W 32 W. dist. 8  
 a Buch 18 " " " N 78 E 16 " "  
 Sand & Timber same as last described -  
 November 27<sup>th</sup> 1822

North Return Sec. 33 & 34 -

14.25 Enter a Swampy Prairie  
 33.50 Leave the " "  
 34.75 a B. Oak 18 in. diam.  
 40.00 Set g. Sec. post from which  
 an Elm 28 in. diam. has S 30 E 28 W. dist. 8  
 a Buch 16 " " " N 28 W 56 " "



# of 23 N. - W. & E. 2<sup>nd</sup> Mer. Indiana

52.13 at B. Ash 1 in. diam.  
 61.50 at Prairie  
 73.25 Lean do  
 77.65 at B. Oak 20 in. diam.  
 88.00 Set Post cu. to Sec. 27, 28, 33 & 34 fr. which  
 a W. Oak 28 in. diam. bears S 9 W 46 W. dist. of  
 an Elm 8 " " " N 9 E 16 " "  
 Sand lent 2<sup>nd</sup> rate. Timber Oak. Hickory.  
 Buck & Ash - Open woods -

## East on Random between Sec. 27 & 34 -

6.50 Enter at Prairie  
 13.70 Leave the do  
 40.00 Set temp. g. Sec. Post -  
 79.86 Enter at N. line 58 W. of Post -

## West Corner between Sec. 27 & 34 -

39.93 Set g. Sec. Post at angle dist. from which  
 a Buck 26 in. diam. bears East 48 W. dist. of  
 a do 28 " " " N 56 W 49 " "  
 79.86 To Sec. Corner.

## North between Sec. 27 & 28

16.95 at Buck 19 in. diam.  
 38.16 a do 16 " "  
 40.00 Set g. Sec. Post from which  
 a Buck 22 in. diam. bears S 62 W 33 W. dist. of  
 a B. Ash 5 " " " N 5 E 15 " "  
 65.84 at Buck 16 " "  
 80.00 Set Post cu. to Sec. 21, 22, 27 & 28 from which  
 a B. Ash 26 in. diam. bears N 10 W 31 W. dist. of  
 a Buck 13 " " " N 7 E 50 " "

## East on Random between Sec. 22 & 27 -

40.00 Set temp. g. Sec. Post -  
 50.00 Enter at Prairie -

63

Sec 23 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana.

78.00 Leave the Prairie  
80.00 Intersect Mt. line 50 W. S. of post.

---

West Corner between Secs. 22 & 27 -  
40.00 Set q. Sec. post at average dist. from which  
a W. Oak 28 in diam. near N 78 E 19 W. dist. 4  
a Do 42 " " " S 85 W 5 " "  
80.00 To Sec. Corner.

---

North Between Secs. 21 & 22  
35.66 a Birch 28 in diam.  
40.00 Set q. Sec. post from which  
a Hickory 16 in diam. near S 71 W 24 W. dist. 4  
a Spruce 6 " " " S 37 E 24 " "  
62.50 a Sugar 24 " "  
76.84 a B. Ash 15 " "  
80.00 Set Post Co. to Secs. 15, 16, 21 & 22 from which  
an Elm 23 in diam. near S 64 W 14 W. dist. 4  
a B. Ash 18 " " " N 12 E 22 " "

---

East on Random between Secs. 15 & 22 -  
40.00 Set temp. q. Sec. post -  
79.70 Intersect Mt. line 96 W. S. of post.

---

West Corner between Secs. 15 & 22  
39.85 Set q. Sec. post at average dist. from which  
a B. Oak 36 in diam. near N 41 E 30 W. dist. 4  
a Bur Oak 26 " " " S 32 W 19 " "  
79.70 To Sec. Corner.

---

North Between Secs. 15 & 16 -  
21.27 a Birch 15 in diam.  
40.00 Set q. Sec. post from which  
a Bur Oak 7 in diam. near S 37 E 39 W. dist. 4  
a Do 6 " " " N 42 W 19 " "  
59.90 a B. Oak 20 " "

# July 23 N. - W. & E. 3<sup>rd</sup> M<sup>o</sup>. Indiana

72.26 an Elm 18 in. diam.

80.00 Set post ca. to Sect. 9. 10. 13 & 16 from which  
a Ash 5 in. diam. head 22 W 19 W. dist. 9  
a B. Oak 36 " " " North 1 " "

East on Random between Sect. 10 & 15

40.00 Set temp. q. Sec. Post

79.50 Put out M. line 80 W. S. of post.

West Corner between Sect. 10 & 15 -

39.75 Set q. Sec. post at average dist. from which  
a Beech 14 in. diam. head 23 E 16 W. dist. 9  
a W. Oak 28 " " " N 38 W 15 " "

79.50 To Sec. Corner November 27<sup>th</sup> 1822 -

North between Sect. 9 & 10 -

10.54 a Beech 18 in. diam.

31.17 a Do 16 " "

40.00 Set q. Sec. post from which

a Hickory 15 in. diam. head 42 W 42 W. dist. 9  
a Do 16 " " " N 5 E 36 " "

58.24 a W. Oak 34 " "

80.00 Set post ca. to Sect. 3. 4. 9 & 10 from which

a Beech 16 in. diam. head 47 W 47 W. dist. 9  
a Do 25 " " " N 69 W 29 " "

East on Random between Sect. 3 & 10 -

34.85 a Stream 12 W. wide Course N -

56.18 To Mississinewa River 300 W. wide Course N. W.

80.33 Put out M. line 83 W. E. of post -

West Corner between Sect. 3 & 10 -

Set Post on River bank from which

a Buckeye 6 in. diam. head 13 E 13 W. dist. 9

a W. Oak 5 " " " N 84 E 17 " "

On River & set Post from which -

65

W 23 N. - W. 8 E. 2<sup>nd</sup> Ma. Indiana

an Elm 26 in. diam. bears N 67 12 W. dir. &  
 a Hickory 5 " " " S 65 E 7 " "  
 40.00 Set gp. Sec. post from which  
 a Buckeye 16 in. diam. bears S 41 E 27 W. dir. &  
 a Birch 10 " " " N 70 W 10 " "  
 80.35 To Sec. Corner.

North Return Sec. 344 -

17.04 To Mississinewa River 2.98 Mid. Corner S. W.  
 Set post from which  
 an Ironwood 16 in. diam. bears N 83 E 6 W. dir. &  
 a Spruce 6 " " " N 77 W 21 " "  
 on River & set post from which  
 a B. Ash 6 in. diam. bears N 88 E 32 W. dir. &  
 a W. Oak 4 " " " N 12 E 25 " "  
 29.54 a Sugar 16 " "  
 40.00 Set gp. Sec. post from which  
 a Poplar 6 in. diam. bears S 16 W 37 W. dir. &  
 a W. Oak 5 " " " N 45 E 26 " "  
 46.10 a Do 6 " "  
 56.50 a B. Ash 22 " "  
 70.22 Intersect Bound. line 475 W. of post -  
 where set post to Sec. 344 from which  
 a Birch 12 in. diam. bears S 29 W 42 W. dir. &  
 a Do 10 " " " N 38 E 29 " "  
 Sand & Timber as usual -

North Return Sec. 32 & 38

13.32 a Birch 20 in. diam.  
 34.00 a B. Walnut 8 " "  
 40.00 Set gp. Sec. post from which  
 an Elm 13 in. diam. bears S 38 W 31 W. dir. &  
 a B. Ash 10 " " " N 37 W 47 " "  
 72.33 a Burr Oak 30 " "  
 80.00 Set post to Sec. 28, 29, 32 & 33 from which  
 a S. Ash 5 in. diam. bears S 36 W 8 W. dir. &



# N. 23 N. R. & E. 2<sup>nd</sup> Mu. Indiana

at B. Ash 12 in. diam. bears N 8 E 19 W. dir.

East on Random between Secs. 28 & 33.

40.00 Set temp. gr. Sec. post

79.03 Intersect R. line 130 W. N. of post.

West Corner between Secs. 28 & 33.

39.51 Set gr. Sec. post at average dir. from which  
an Elm 17 in. diam. bears East 39 W. dir. &  
a Do 16 " " " N 67 W 12 " "

79.03 To Sec. Corner. Mon. 29<sup>th</sup> 1822

North between Secs. 28 & 29

21.11 a Sugar 21 in. diam.

36.00 a Buck 19 " "

40.00 Set gr. Sec. post from which

an Elm 28 in. diam. bears S 8 W 34 W. dir. &  
at B. Ash 30 " " " N 57 E 25 " "

60.25 a Hickory 20 " "

80.00 Set post cu. to Secs. 30 & 31. 28 & 29 fr. which  
a Buck 16 in. diam. bears S 5 E 48 W. dir. &  
a Do 15 " " " N 40 E 7 " "

East on Random between Secs. 21 & 28.

40.00 Set temp. gr. Sec. post.

79.96 Intersect R. line 42 W. N. of post.

West Corner between Secs. 21 & 28.

39.98 Set gr. Sec. post at average dir. from which  
at B. Ash 4 in. diam. bears S 34 E 12 W. dir. &  
a Do 5 " " " N 68 W 7 " "

79.96 To Sec. Corner.

2

North between Secs. 20 & 21.

xx 6.50 a Stream 17 W. W. side Corner N. W.

32.50 at B. Ash 10 in. diam.

67

*P. 23 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana*

40.00 Let gr. Sec. post from which  
 a Buck 10 in. diam. bears S 20 W 32 W. dist. 9  
 a No 16 " " " N 8 E 28 " "  
 52.52 a No 13 " "  
 68.25 a Cherry 6 " "  
 80.00 Let post on to Secs. 16, 17, 20 & 21 from which  
 an Elm 6 in. diam. bears S 50 W 9 W. dist. 9  
 a No 5 " " " N 50 E 12 " "

2

xx

East on Random between Secs. 16 & 21 -

40.00 Let temp. gr. Sec. Post.

80.10 Intersect. N. line 2 W. N. of Post.

West Corner between Secs. 16 & 21 -

40.05 Let gr. Sec. Post at amag dist. from which  
 a Buck 16 in. diam. bears S 47 W 23 W. dist. 9  
 a No 30 " " " N 57 W 26 " "

80.10 To Sec. Corner.

North between Secs. 16 & 17 -

8.00 an Elm 20 in. diam.

35.20 a Buck 15 " "

40.00 Let gr. Sec. Post from which  
 a Buck 7 in. diam. bears S 50 E 12 W. dist. 9  
 a No 8 " " " N 40 W 13 " "

2

64.80 a B. Ash 21 " "

80.00 Let Post on to Secs. 8, 9, 16 & 17 from which  
 a Buck 25 in. diam. bears S 35 E 10 W. dist. 9  
 a No 28 " " " N 32 W 33 " "

53

East on Random between Secs. 9 & 16 -

40.00 Let temp. gr. Sec. Post.

80.30 Intersect. N. line 65 W. S. of Post.

xx

West Corner between Secs. 9 & 16 -

40.15 Let gr. Sec. Post at amag dist. from which -

# W 23 N. - R. 8 E. 3<sup>d</sup> Mer Indiana.

a S. Ash 4 in. diam. bears N 62 E 2 1/2 W. dist. 8  
 a Do 5 " " " S 35 W 18 " "  
 80.30 To Sec. Corner.

## North Bottom Sec. 8 & 9 -

1.60 a Stream 16 W. wide Corn N.W.  
 33.46 a Buck 15 in. diam.  
 40.00 Set q. Sec. Post from which  
 a Buck 13 in. diam. bears S 40 W 11 W. dist. 8  
 a Do 15 " " " N 50 E 29 " "  
 46.10 a Do 6 " "  
 69.29 a Do 18 " "  
 80.00 Set Post cor. to Sec. 4, 5, 8 & 9 from which  
 a S. Ash 10 in. diam. bears N 56 E 4 1/2 W. dist. 8  
 a Buckeye 8 " " " N 57 W 23 " "

## East w Random Bottom Sec. 4 & 9 -

40.00 Set temp. q. Sec. post.  
 80.22 Put out N.W. line 80 W. S. of post -

## West Corner Bottom Sec. 4 & 9 -

40.11 Set q. Sec. post at same q. dist. from which  
 a Hickory 18 in. diam. bears S 65 W 11 W. dist. 8  
 a Do 9 1/2 " " " N 1 E 15 " "  
 80.22 To Sec. Corner.

## North Bottom Sec. 4 & 5 -

2.60 a Stream 17 W. wide Corn N.W.  
 3.00 Do 18 " " " N.W.  
 5.00 Do 20 " " " N.W.  
 20.22 a Buck 18 in. diam.  
 28.00 a Stream 13 W. wide Corn E.  
 40.00 Set q. Sec. Post from which  
 a Buck 5 in. diam. bears S 34 W 13 W. dist. 8  
 a Do 4 " " " N 45 E 21 " "  
 58.00 a Stream 12 W. wide Corn N.E.

69

M. D. N. - R. & E. Ind. Mu. Indiana

73.60 Entered Round. line 350 W. N. of Post  
 where set Post ca. to Loc. 445 from which  
 an Elmwood 5 in. diam. has 77 W 17 W. dir. 8  
 a Poplar 2 " " " 177 W 19 " "  
 Sand & Limb as last described -  
 November 30<sup>th</sup> 1892 -

North Between Loc. 31 & 32

10.00 a Branch 12 W. side  
 20.00 a Beech 12 in. diam.  
 40.00 Set q. Lee Post from which  
 a Beech 18 in. diam. has 112 E 20 W. dir. 9  
 a Do 9 " " " NW 30 " "  
 66.20 a Do 14 " "  
 80.00 Set Post ca. to Loc. 29, 30, 31 & 32 from which  
 an Oak 18 in. diam. has 14 E 21 W. dir. 9  
 an Ash 10 " " " NW 10 " "

East in Random Between Loc. 29 & 32

40.00 Set temp. q. Lee Post -  
 80.10 Entered M. line 60 W. S. of Post -

West Corner Between Loc. 29 & 32 -

40.05 Set q. Lee Post at average dir. from which  
 a Beech 8 in. diam. has 16 W 26 W. dir. 8  
 a Sugar 2 " " " NE 10 " "  
 80.10 To Lee. Corn

West Between Loc. 30 & 31

16.00 a Beech 17 in. diam.  
 40.00 Set q. Lee Post from which  
 a B. Ash 10 in. diam. has 130 E 30 W. dir. 8  
 a Do 9 " " " 126 W 26 " "  
 50.00 a Stream 8 W. side Corn S -  
 79.50 Entered Round. line 100 W. S. of Post  
 where set Post ca. to Loc. 30 & 31 from which



*W. 23 N. - R. 8 E. 9<sup>th</sup> Sec. Indiana.*

*an Ash 12 in. diam. bears N 11 W 16 W. dist. 9  
a Buck 9 " " " S 14 E 20 " "*

*North Return Sec. 29 & 30*

*26.18 a Buck 18 in. diam.*

*30.50 a Do 20 " "*

*40.00 Let gp. Sec. post from which  
a Buck 10 in. diam. bears S 13 E 22 W. dist. 9  
a Hickory 6 " " " N 7 W 5 " "*

*67.09 a B. Oak 13 " "*

*80.00 Let post cor. to Sec. 19, 20, 29 & 30 from which  
a Maple 5 in. diam. bears S 18 E 12 W. dist. 9  
a Buck 16 " " " N 27 W 50 " "*

*East in Random Return Sec. 20 & 29*

*40.00 Let temp. gp. Sec. post.*

*80.20 Intersect M. line 50 W. E. of post.*

*West Corner Return Sec. 20 & 29.*

*40.10 Let gp. Sec. post at corrag. dist. from which  
a Buck 21 in. diam. bears S 15 E 27 W. dist. 9  
a Do 12 " " " N 5 W 32 " "*

*80.20 To Sec. Corner.*

*West Return Sec. 19 & 30.*

*40.00 Let gp. Sec. post from which*

*a Buck 12 in. diam. bears N 20 W 5 W. dist. 9  
an Ash 8 " " " S 12 E 21 " "*

*50.15 a Stream 9 W. in dr. corner N. W.*

*70.20 a Buck 20 in. diam.*

*79.90 Intersect N. Bound. line 80 W. S. of post*

*when let post cor. to Sec. 19 & 30 from which  
a Buck 19 in. diam. bears S 20 E 16 W. dist. 9  
an Oak 10 " " " N 6 W 50 " "*

3 ( *North Return Sec. 19 & 30.*

XX

71

W. 23 N. W. & E. 2<sup>nd</sup> Mo. Indiana

20.00 a Sugar 2 in diam.  
 40.00 Set gr. Sec. post from which  
 an ash 14 in. diam. bears S 24 E 22 W dist. 9  
 a Beech 9 " " " S 56 W 18 " "

65.00 a No 12 " "  
 80.00 Set Post ca. to Secs. 17, 18, 19 & 20 from which  
 a Beech 15 in. diam. bears S 45 E 45 W dist. 9  
 an ash 6 " " " N 30 W 44 " "  
 December 2<sup>nd</sup> 1822

---

West in Random between Secs. 17 & 20

40.00 Set temp. gr. Sec. post.

80.00 Intersect W. line to W. S. of post.

---

West Corner between Secs. 17 & 20 -

40.00 Set gr. Sec. post at average dist. from which  
 a Beech 15 in. diam. bears S 40 E 40 W dist. 9  
 a No 9 " " " N 3 W 35 " "

80.00 To Sec. Corner.

---

West between Secs. 18 & 19 -

34.00 a Beech 10 in. diam.

40.00 Set gr. Sec. post from which  
 an ash 11 in. diam. bears S 26 E 24 W dist. 9  
 a Sugar 4 " " " N 9 W 16 " "

55.19 a Beech 24 " "

79.95 Intersect W. Round line to W. S. of post.  
 when set post ca. to Secs. 18 & 19 from which  
 a Beech 9 in. diam. bears N 6 W 41 W dist. 9  
 a Hickory " " " S 16 E 45 " "

---

North between Secs. 17 & 18 -

31.40 an ash 20 in. diam.

40.00 Set gr. Sec. post from which  
 a Beech 15 in. diam. bears S 22 E 26 W dist. 9  
 an Elm 16 " " " N 7 W 36 " "

over

# W. D. N. W. S. E. 2<sup>nd</sup> Mo. Indiana

62.20 a Buck 18 in. diam.

80.00 Set Post Cr. to Sect. 7, 8, 17 & 18 from which  
a Buck 9 in. diam. was 227 N 40 W. dist. of  
an Elm 11 " " " N 6 E 35 " "

East and Random Return Sect. 8 & 17 -

40.00 Set temp. g. Sec. Post.

80.08 Internal M. line 44 W. S. of Post.

West Corner Return Sect. 8 & 17 -

40.011 Set g. Sec. Post at amag. dist. from which  
a Buck 12 in. diam. was 226 E 30 W. dist. of  
a Do 18 " " " N 30 W 20 " "

80.08 To Sec. corner

West Return Sect. 7 & 18 -

20.00 a Branch 9 W. Wide corner S W -

30.00 an ash 20 in. diam.

40.00 Set g. Sec. Post from which

an Elm 8 in. diam. was 221 E 18 W. dist. of  
a Buck 12 " " " N 12 W 11 " "

52.00 an Oak 17 " "

80.00 Internal M. Bound. line 50 W. S. of Post -

where Set Post Cr. to Sect. 7 & 18 from which

a Sugar 13 in. diam. was 226 E 19 W. dist. of

a Buck 12 " " " N 20 W 10 " "

End

North Return Sect. 7 & 8

18.25 a Hickory 18 in. diam.

40.00 Set g. Sec. Post from which

a Buck 9 in. diam. was 220 E 16 W. dist. of

an ash 14 " " " N 8 W 26 " "

60.62 a Buck 18 " "

80.00 Set Post Cr. to Sect. 5, 6, 7 & 8 from which

a Buck 21 in. diam. was 216 E 36 W. dist. of

a N. Oak 21 " " " N 5 W 24 " "

73

W. D. N. - W. & E. 2<sup>nd</sup> Mer. Indiana

East at Random between Sec. 5 & 8 -  
 40.00 Set temp. gr. Sec. Post  
 80.10 Entrench Mt. line below S. of Post -

---

West corner between Sec. 5 & 8 -  
 40.05 Set gr. Sec. Post at same dist. from which  
 a Buck 13 in. diam. has N 52 E 27 W. dist. 4  
 an Elm 12 " " " " 38 " "  
 80.10 To Sec. corner.

---

West between Sec. 6 & 7 -  
 18.20 a Buck 10 in. diam.  
 40.00 Set gr. Sec. Post from which  
 an Oak 20 in. diam. has S 15 E 31 W. dist. 4  
 a Buck 10 " " " N 6 W 40 " "  
 52.00 an Oak 24 " "  
 80.20 Entrench N. Bound. line 45 W. S. of Post -  
 when set Post c. to Sec. 6 & 7 from which  
 a Buck 12 in. diam. has S 30 E 40 W. dist. 4  
 a No 15 " " " N 36 W 50 " "

---

North between Sec. 5 & 6 -  
 20.20 a Buck 16 in. diam.  
 40.00 Set gr. Sec. Post from which  
 a Sugar 13 in. diam. has S 66 E 26 W. dist. 4  
 a Buck 21 " " " N 75 W 20 " "  
 66.00 a No 24 " "  
 75.20 Entrench N. Bound. line 310 W. W. of Post -  
 when set Post c. to Sec. 5 & 6 from which  
 a Buck 12 in. diam. has S 20 E 36 W. dist. 4  
 a No 18 " " " N 50 W 40 " "  
 Sand & Timber as last described  
 (center 3<sup>rd</sup> 1829 -

---

Meanders of Mississinewa River  
 Beginning at Post on left bank in North



# W. D. N. - R. & E. D. Mer. Indiana

Boundary line thence up the River		Remarks -
bouses	Distances	In Sec. 4
041 E	3.00	Lower end of Island -
038 E	3.00	
042 E	4.00	Upper end of Island
065 E	2.00	
039 E	2.50	
037 E	4.50	
035 E	2.50	
034 E	4.50	
033 E	5.00	
027 E	7.80	
025 E	3.00	
031 E	7.00	
029 E	7.00	
039 E	6.00	at 15 W. at Branch 10 W. wide from S. To Post in line of Sec. 3 & 4
062 E	6.69	
<hr/>		
068 E	3.00	In Sec. 3
064 E	2.50	
065 E	3.50	
070 E	2.00	
072 E	3.50	
025 E	3.50	
087 E	2.50	
086 E	4.00	
084 E	2.50	at 100 at Branch 8 W. wide from M.
069 E	7.50	
083 E	2.50	
051 E	3.50	
077 E	4.50	
067 E	3.00	
062 E	3.50	
056 E	6.00	
041 E	3.50	

75

J. D. N. R. & E. J. Co. Mr. Indiana.

030 E	1.31	To Post in line of sec. 3 & 10.
033 E	5.00	In Sec. 10
034 E	0.50	
036 E	6.00	
032 E	5.50	
029 E	2.50	
040 E	2.00	
042 E	2.50	at .50 W. a Stream 1.00 wide from E.
061 E	2.50	
064 E	4.00	To Post in line of sec. 10 & 11
012 E	5.00	In Sec. 11
057 W	5.00	
020 E	1.50	
042 E	5.00	
044 E	4.50	
047 E	5.00	
053 E	2.00	
059 E	4.00	
053 E	4.00	
033 E	3.00	
060 E	5.50	
075 E	6.00	Lower end of Island.
080 E	6.00	
089 E	4.00	
082 E	5.50	
079 E	4.00	
058 E	4.00	
086 E	3.00	Upper end of Island
080 E	4.00	
070 E	5.50	
087 E	3.50	at 3.90 a Branch 10 W. wide from E.
036 E	4.50	
070 E	4.18	To Post in line of sec. 11 & 12

# Prof. D. S. N. R. & C. J. M. Indiana

N80 E	4.00	In Sec. 12
N84 E	4.50	
N85 E	6.50	
N37 E	5.50	
N25 E	2.50	
N29 E	4.50	
N55 E	2.50	
N76 E	2.50	
N78 E	3.00	
N83 E	4.00	at 4.50 lower end of Island.
N74 E	5.50	
N61 E	6.50	at 1.06 at Branch 8 W. wide from S.
N22 E	2.00	at 3.50 upper end of Island -
N10 E	4.00	
N57 E	7.00	
N35 E	6.00	
N46 E	9.00	
N71 E	3.50	
N81 E	3.50	
N69 E	3.50	
N64 E	3.00	
N54 E	3.50	
N49 E	2.50	
N55 E	2.15	To post in E. Boundary line -

Meanders of Mississinewa River  
Beginning at Post in E. Boundary line  
thence down the River on Right Bank -  
Remarks -

Courses	Distances	Remarks
N68 W	3.50	In Sec. 12
N56 W	6.50	
N70 W	4.00	
N84 W	3.50	
N72 W	3.50	
N49 W	7.50	
N46 W	13.00	

77

No 23 N. W. & E. 2<sup>nd</sup> Mer. Indiana.

033 W	2.00	upper end of Island -
031 W	2.50	
064 W	2.50	
053 W	3.00	
041 W	3.50	
079 W	4.00	
084 W	7.00	
N 81 W	5.00	
N 48 W	2.00	
N 7 W	5.00	
N 31 W	2.50	
N 49 W	6.00	
N 75 W	3.50	
N 89 W	7.50	
084 W	4.40	Top of section line of No. 11 & 12

---

070 W	4.50	In Sec. 11
088 W	3.50	at 1.18 at Branch 8 W. under fence N.E.
083 W	3.00	lower end of Island -
N 78 W	4.00	
N 63 W	2.50	
043 W	4.00	
N 73 W	4.00	
N 24 W	6.50	
077 W	5.50	
079 W	5.00	
N 88 W	3.50	
N 80 W	3.00	
N 71 W	4.00	
N 67 W	3.50	
N 62 W	5.00	
N 89 W	3.50	
N 49 W	3.50	
N 58 W	3.00	
N 46 W	3.00	
N 40 W	4.00	



*No. 23 N. - R. R. E. 9<sup>th</sup> Mer. Indiana.*

N38W 4.00

N32W 3.00

N77W 1.50

N1W 2.00

N5W 5.00

N28W 3.00

N32W 1.86

*a Stream 8 W. side from N.E.*

*To Post in line of sec<sup>s</sup> 10 & 11.*

N48W 3.50

*In Sec. 10.*

N52W 4.00

N57W 2.00

N42W 3.00

N52W 5.00

N36W 8.00

N34W 6.00

N28W 1.95

*To Post in line of sec<sup>s</sup> 3 & 10.*

N34W 3.50

*In Sec. 3*

N44W 5.00

N57W 5.00

N62W 4.00

N68W 4.00

N79W 7.00

N82W 4.00

S84W 2.00

S68W 4.00

S86W 6.50

N88W 5.00

N80W 4.58

N68W 2.50

*Upper end of Island.*

N65W 5.00

N69W 2.00

N36W 6.00

N36W 6.00

N34W 7.10

N35W 3.50

79  
T. 23 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

N 23 W 5.00  
N 6 W 11.00

December 11<sup>th</sup> 1842

Surveyed by David Willis D.L.

---

I certify that the foregoing transcripts of  
the Field Notes of Township 23 North. Range  
8 East of the 2<sup>nd</sup> Meridian, in Indiana,  
has been compared with the original in  
this office, and found to be correct.

Surveyor General's Office  
Cincinnati Oct. 27<sup>th</sup> 1842

William Johnston  
Sur. Genl.